

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"20020178319" "20030229762"	US-PGPUB	OR	ON	2005/11/28 10:37
L4	289	"3,742,253" "4,831,520" "5,313,590" "5,638,534" "5,687,325" "5,710,733" "5,796,413" "5,887,159" "6,038,630" "6,067,649" "6,092,158" "6,128,703" "6,185,676" "6,223,301" "6,370,611" "6,389,514" "6,433,785" "6,460,114" "6,487,556" "6,496,193" "6,526,483" "6,647,470" "6,785,780" "6,820,181"	USPAT	OR	ON	2005/11/28 10:38
L5	24	("3,742,253" "4,831,520" "5,313,590" "5,638,534" "5,687,325" "5,710,733" "5,796,413" "5,887,159" "6,038,630" "6,067,649" "6,092,158" "6,128,703" "6,185,676" "6,223,301" "6,370,611" "6,389,514" "6,433,785" "6,460,114" "6,487,556" "6,496,193" "6,526,483" "6,647,470" "6,785,780" "6,820,181").pn.	USPAT	OR	ON	2005/11/28 10:41
L6	1	"20020042863"	US-PGPUB	OR	ON	2005/11/28 10:42
L7	48	((rank or group\$3) near4 (memory or storage)) with (hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 10:54
L8	31	((rank or group\$3) near4 (memory or storage)) with (configur\$4 or reconfigur\$4) with (simultaneous\$2 or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:02
L9	35	(rank or group\$3) near8 (hub) with (configur\$4 or reconfigur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:03
S4	117	((rank or group\$3) near4 (memory or storage)) same (hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:45
S5	41	((rank or group\$3) near4 (memory or storage)) with (hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 09:50

S6	5056	((rank or group\$3) near4 (memory or storage)) with (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:57
S9	25	((rank or group\$3) near4 (memory or storage)) with (configur\$4 or reconfigur\$4) with (simultaneous\$2 or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:00
S11	4059	(rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:07
S12	231	((rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)) and (simultaneous\$2 access\$2 or concurrent\$2 access\$2 or synchronous\$2 access\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:09
S13	116	((rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)) and (simultaneous\$2 access\$2 or concurrent\$2 access\$2 or synchronous\$2 access\$2) and (hub or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:35
S14	7	((rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)) same ((simultaneous\$2 access\$2 or concurrent\$2 access\$2 or synchronous\$2 access\$2) and (hub or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:02
S15	10	((rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)) same ((simultaneous\$2 access\$2 or concurrent\$2 access\$2 or synchronous\$2 access\$2)) and (hub or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:01

S16	19	((rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)) same ((simultaneous\$2 access\$2 or concurrent\$2 access\$2 or synchronous\$2 access\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:11
S17	9	((rank or group\$3) near6 (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)) and (simultaneous\$2 access\$2 or concurrent\$2 access\$2 or synchronous\$2 access\$2) and (hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 10:35
S18	1164	(rank or group\$3 or bank) near6 (memory or storage) and ((variable or adjust\$4 or dynamic\$3) near4 word) and (width or depth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:00
S19	5323	711/170 or 711/171 or 711/172 or 711/173 or 711/5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 11:02
S20	33	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 11:02
S21	1301	((variable or adjust\$4 or dynamic\$3) near4 word) and (width or depth) and (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4) near4 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:17
S22	47	S19 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:01
S23	20	S22 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:41

S24	376	((rank or group or bank) adj memory) with (configur\$4 or reconfigure\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:42
S26	252	((rank or group or bank) adj memory) near6 (configur\$4 or reconfigure\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:43
S28	46	S26 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/07 12:43
S29	1	"20040260864"	US-PGPUB; USPAT	ADJ	ON	2005/07/07 15:49
S38	24	("5,251,303" "5,432,907" "5,442,770" "5,497,476" "5,659,798" "5,875,352" "6,061,263" "6,073,190" "6,105,075" "6,137,709" "6,144,587" "6,167,465" "6,167,486" "6,201,724" B1 "6,233,376" B1 "6,243,769" B1 "6,285,349" B1 "6,301,637" B1 "6,327,642" B1 "6,330,205" "82" "6,347,055" B1 "6,349,363" "82" "6,356,573" B1 "6,367,074" B1).pn.	USPAT	OR	ON	2005/07/08 09:23
S39	15	("6,373,777" B1 "6,381,190" B1 "6,421,744" B1 "6,434,639" B1 "6,463,059" B1 "6,470,422" "82" "6,473,828" B1 "6,477,614" B1 "6,477,621" B1 "6,496,909" B1 "6,505,287" "82" "6,539,490" B1 "6,552,564" B1 "6,587,912" "82" "6,594,713" B1).pn.	USPAT	OR	ON	2005/07/08 09:26
S40	1	"20020112119"	US-PGPUB	OR	ON	2005/07/08 09:27
S41	3	(bus bridge) and (memory hub) and (input device) and (output device) and motherboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 12:08
S42	4	(system controller) and (memory hub) and (input device) and (output device) and motherboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 12:09

S43	0	motherboard near4 memory near4 controller near4 input near output4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 12:10
S44	111	motherboard with memory with controller with input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 12:12
S45	13	motherboard with memory with system controller with input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 12:13
S46	45	system controller near4 (coupled or connected) near4 (input device and output device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 13:13
S47	316	(memory) with ((data word near3 rate) or (bit near3 rate)) and (bit per second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 13:16
S48	82	(memory) with ((data word near3 rate) or (bit near3 rate)) same (bit per second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 13:16
S49	1	(memory) with ((data word near3 rate) or (bit near3 rate)) same ((bit per second) and word per second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 13:16
S50	9	(memory) with ((data word near3 rate) or (bit near3 rate)) and ((bit per second) and (word per second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 13:19

S51	9	((N times M) or (x times y) or (N times x) or (m times x) or (N times y) or (m times x) or (N x M) or (x x y) or (N x x) or (m x x) or (N x y) or (m x x) or (N*M) or (x*y) or (N*x) or (m*x) or (N*y) or (m*x) or (NxM) or (xxy) or (Nxx) or (mxx) or (Nxy) or (mxx)) with (word per second or bit per second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/08 13:32
S52	3	("6067262" "6246618" "6590816").pn.	USPAT	OR	ON	2005/07/08 13:34
S53	1	"20030043426"	US-PGPUB	OR	ON	2005/07/08 13:38
S54	7	("5,818,844" "6,272,609" "6,477,592" "6,523,092" "6,523,093" "6,622,227" "6,631,440").pn.	USPAT	OR	ON	2005/07/08 13:39
S56	3	"20020144064" "20030005223" "20030229770"	US-PGPUB	OR	ON	2005/07/08 13:41
S57	1	"6462978".pn.	USPAT	OR	ON	2005/07/08 13:42
S58	1	"6134624".pn.	USPAT	OR	ON	2005/07/08 13:47
S61	12	("5,544,319" "5,822,255" "5,875,454" "6,033,951" "6,079,008" "6,186,400" "6,243,831" "6,256,692" "6,392,653" "6,438,668" "6,636,110" "6,681,292").pn.	USPAT	OR	ON	2005/07/08 13:51
S62	24	("4,707,823" "4,930,128" "5,241,506" "5,243,703" "5,269,022" "5,317,752" "5,319,755" "5,355,391" "5,432,823" "5,465,229" "5,502,621" "5,566,325" "5,577,220" "5,581,767" "5,606,717" "5,638,334" "5,715,456" "5,819,304" "5,928,343" "5,973,935" "5,973,951" "6,029,250" "6,061,296" "6,098,158").pn.	USPAT	OR	ON	2005/07/08 13:53
S63	22	("6,125,431" "6,175,571" B1 "6,185,352" B1 "6,247,107" B1 "6,256,692" B1 "6,294,937" B1 "6,370,068" "82" "6,401,213" B1 "6,430,696" B1 "6,434,696" B1 "6,434,736" B1 "6,479,322" "82" "6,490,188" "82" "6,629,220" B1 "6,646,929" B1 "6,662,304" "82" "6,667,895" "82" "6,721,195" B2 "6,724,685" B2 "6,735,679" B1 "6,745,275" "82" "6,751,703" "82").pn.	USPAT	OR	ON	2005/07/08 13:55

S64	7	("6,756,661" "82" "6,771,538" "82" "6,792,059" "82" "6,799,246" B1 "6,804,764" "82" "6,807,630" "82" "6,816,947" B1 2001/0039612 A1 2002/01 "16588" A1 2003/0043 "158" A1 2003/0093630 A1 2003/0163649 A1 2003/0177320 A1 2003/0193927 A1 2004/0022094 A1).pn.	USPAT	OR	ON	2005/07/08 13:56
S67	8	"20010039612" "20020116588" "20030043158" "20030093630" "20030163649" "20030177320" "20030193927" "20040022094"	US-PGPUB	OR	ON	2005/07/08 13:57
S70	15	S64 or S67	US-PGPUB; USPAT	OR	ON	2005/07/08 13:59
S71	68	"4,953,930" "5,987,196" "6,031,241" "6,715,018" "6,811,320" "6,821,029" "200401261" S55 "20040144994" "20050071542"	US-PGPUB; USPAT	OR	ON	2005/07/08 13:59
S72	68	"4,953,930" "5,987,196" "6,031,241" "6,715,018" "6,811,320" "6,821,029" "200401261" "20040144994" "20050071542"	US-PGPUB; USPAT	OR	ON	2005/07/08 14:00
S73	6	("4,953,930" "5,987,196" "6,031,241" "6,715,018" "6,811,320" "6,821,029").pn.	US-PGPUB; USPAT	OR	ON	2005/07/08 14:01
S74	3	"20040126115" "20040144994" "20050071542"	US-PGPUB; USPAT	OR	ON	2005/07/08 14:03
S75	25	("4,045,781" "4,240,143" "4,245,306" "4,253,144" "4,253,146" "4,724,520" "5,461,627" "5,479,370" "5,729,709" "5,832,250" "5,966,724" "5,978,567" "6,023,726" "6,076,139" "6,191,663" B1 "6,249,802" B1 "6,405,280" B1 "6,438,622" B1 "6,449,308" B1 "6,453,393" B1 "6,501,471" B1 "6,594,722" B1 "6,598,154" B1 "6,615,325" "82" "6,628,294" B1).pn.	US-PGPUB; USPAT	OR	ON	2005/07/08 14:03
S76	16	("6,658,509" B1 "6,697,926" "82" "6,718,440" "82" "6,728,800" B1 "6,735,682" "82" "6,754,812" B1 "6,760,833" B1 "6,775,747" "82" "6,789,173" B1 "6,792,496" "82" "6,795,899" "82" "6,799,268" B1 "6,804,760" B2 "6,820,181" "82" "6,823,023" B1 "6,845,409" B1).pn.	US-PGPUB; USPAT	OR	ON	2005/07/08 14:04
S77	2	"20030149809" "20040236885"	US-PGPUB	OR	ON	2005/07/08 14:04
S78	43	S75 S76 S77	US-PGPUB; USPAT	OR	ON	2005/07/08 14:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040260864"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:10
L2	15	((rank or group\$3) near4 (memory or storage)) with (hub)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:12
L3	15	((rank or group\$3) near8 (hub) with (configur\$4 or reconfigur\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:34
L4	14	2 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:35
L5	3908	711/17?.ccls. or 711/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:36
L6	3332	711/17?.ccls. or 711/5.ccls. and (rank or group\$3) and (memory or storage) and (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:37
L7	2958	711/17?.ccls. or 711/5.ccls. and ((rank or group\$3) near4 (memory or storage)) with (configur\$4 or reconfigur\$4) with (simultaneous\$2 or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:37
L8	2	(711/17?.ccls. or 711/5.ccls.) and ((rank or group\$3) near4 (memory or storage)) with (configur\$4 or reconfigur\$4) with (simultaneous\$2 or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:37

L9	1556	(711/17?.ccls. or 711/5.ccls.) and (rank or group\$3) and (memory or storage) and (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:38
L10	446	(711/17?.ccls. or 711/5.ccls.) and ((rank or group\$3) same (memory or storage) same (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:38
L11	112	(711/17?.ccls. or 711/5.ccls.) and ((rank or group\$3) same (memory or storage) same (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:38
L12	106	(711/17?.ccls. or 711/5.ccls.) and ((rank or group\$3) same (memory or storage) with (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:38
L13	87	(711/17?.ccls. or 711/5.ccls.) and ((rank or group\$3) with (memory or storage) with (configur\$4 or reconfigur\$4 or organiz\$4 or reorganiz\$4 or arrang\$4 or rearrang\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:38
S81	2	"20020178319" "20030229762"	US-PGPUB	OR	ON	2005/11/28 10:37
S82	289	"3,742,253" "4,831,520" "5,313,590" "5,638,534" "5,687,325" "5,710,733" "5,796,413" "5,887,159" "6,038,630" "6,067,649" "6,092,158" "6,128,703" "6,185,676" "6,223,301" "6,370,611" "6,389,514" "6,433,785" "6,460,114" "6,487,556" "6,496,193" "6,526,483" "6,647,470" "6,785,780" "6,820,181"	USPAT	OR	ON	2005/11/28 10:38
S83	24	("3,742,253" "4,831,520" "5,313,590" "5,638,534" "5,687,325" "5,710,733" "5,796,413" "5,887,159" "6,038,630" "6,067,649" "6,092,158" "6,128,703" "6,185,676" "6,223,301" "6,370,611" "6,389,514" "6,433,785" "6,460,114" "6,487,556" "6,496,193" "6,526,483" "6,647,470" "6,785,780" "6,820,181").pn.	USPAT	OR	ON	2005/11/28 10:41
S84	1	"20020042863"	US-PGPUB	OR	ON	2005/11/28 10:42

S85	48	((rank or group\$3) near4 (memory or storage)) with (hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:12
S86	31	((rank or group\$3) near4 (memory or storage)) with (configur\$4 or reconfigur\$4) with (simultaneous\$2 or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:02
S87	35	(rank or group\$3) near8 (hub) with (configur\$4 or reconfigur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 11:34

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
AND <input type="text"/>	in All Fields	
AND <input type="text"/>	in All Fields	

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2

Enter keywords, phrases, or a Boolean expression

[Help](#)

(rank* or group*) <sentence> (memory or storage) <sentence>
(configur* or reconfigur*)
#1 9 hits

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

- ☒ Select publications
 - ☒ IEEE Periodicals
 - ☒ IEE Periodicals
 - ☒ IEEE Conference P
 - ☒ IEE Conference Pr
 - ☒ IEEE Standards
- ☐ Search subscribed con

» Other Resources (Availat

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year to

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

Maximum:

Display: rest

Sort by:

In:

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 28 Nov 2005, 11:51:32 AM EST

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

Recent Search Queries

#1 (((rank* or group*) <sentence> (memory or storage) <sentence>
(configur* or reconfigur*))<in>metadata)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)


© Copyright 2005 IEEE -

NPL Search.txt

ACM Search

rank configur* hub

59 hits


11/28/05